

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES

-please note our new nameDEPARTMENT OF ENVIRONMENTAL PROTECTION
DEP

208 West Third Street, Suite 101 Williamsport, PA 17701-6510 January 26, 1996

Northcentral Regional Office

Ralph Agnoni Canton Manufacturing 120 East Second St. P.O. Box 97 Canton, PA 17724-0097

Re: Hazardous Waste Manifest Violation Canton Manufacturing EPA ID# PAD 987342078 Canton Borough, Bradford County

NOTICE OF VIOLATION

Dear Mr. Agnoni:

On May 16, 1995, Canton Manufacturing consigned for transport a shipment of hazardous waste (D001), using the Uniform Hazardous Waste Manifest document No. NYB 692564 4. The waste was transported by Northeast Environmental Services, Inc., to their facility of Wampsville, NY.

During a hazardous waste inspection, conducted on January 10, 1996, the Department determined that the manifest lacked the total quantity of hazardous waste, transported offsite (item No. 13). Accordingly, Canton Manufacturing violated the provisions of 25 Pa. Code §§ 262.20(a)(g)(8). Further, it is the responsibility of the generator, of the hazardous waste, to ensure that all of the appropriate information is provided on the manifest.

This Notice of Violation does not waive, either expressly or by implication, the power or authority of the Commonwealth of Pennsylvania to prosecute for any or all violations of law arising prior to or after the issuance of this Notice of Violation or the conditions upon which this Notice of Violation was based, nor shall this Notice of Violation be construed so as to waive or impair the rights of the Department of Environmental Protection heretofore or hereafter existing.

- 2 -

If you have any questions concerning this matter, please feel free to contact me at (717) 327-3727.

Patrick Brennan

Patrick Brennan

Solid Waste Specialist

PHB/sks

cc: Regional File Compliance

Field

ER-WES-312: Nev. 1193

COMMONWEALTH OF PENNSYLYANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WASTE MANAGEMENT

INSPECTION REPORT - HAZARDOUS WASTE SMALL QUANTITY GENERATOR

	Site 1.D. PADAR 1344 078				Telephone # 717-673-5145		
Site Name Canton Manufacturing					Operator Name Canton Manufacturing		
Address 120 E. 2nd St.					Address 120 E. 2nd St. P.O. Box 97		
					Canton, PA 1		
Municipality Canton					County Brech Form		
Responsible Official Michael Deschamps					Title Dir. of Operations		
				wed Relph Agnoni			
rspector P. Brennan					Title <u>Engineering Manager</u> 1-10-56 Time 1245. 1600 1100-1300. T.T. B		
_	Due Date Inspection Data Inspection Type 1-10-96 1-12-56				Facility Type Insp		FVi∩lation ○ I
\re	haz	ardo	ous v	vastes transported off-site by this generator?	Yes V No		
fn	ot, li	cens	e ni	imber(s) and expiration dates of transporter(s)	POIDTTTZOGTM :		
			1-1	No Violation Observed 2-Not-Applicable	3-Not-Determined 4-No	n-Compliance	,
1	STA 2	TUS	4	REQUIREMENT		CHAPTER	LINE NUMBERS
×				Amount of wastes generated per month is within small quantity generator limits. Average waste generated monthly <u>632 pds. Fur 1995</u>			H491
X				Amount of waste accumulated is within small	quantity generator limits	261.5(d)	H492
X				Hazardous waste determination (262.11)		261.5(g)(1)	H493
X				Records of quantities, descriptions and disposi for five years and furnished to the Departmen		262.11(d)	H4 94
X				Storage within time limit specified (261.5(d))		261.5(g)(2)	H495
X				Manifest system used for off-site transport		262.20(a)	H496
1.	5 Inc	dicat	a .	Permit Number	Tre	atment	1
		_	c .	Delivered to a PA municipal or residual facilit	ty with Form S approval. Nar	ne of facility.	
	<u>~</u>	_	d.	Delivered to an approved out-of-state facility	y. Name of facility.		
	_	_	d.	1	y. Name of facility.		

COMMONWEALTH OF PERASTLYANA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WASTE MANAGEMENT

INSPECTION REPORT COMMENTS

-Date of Inspection January 10,1996 Identification Number PAD987342078
Company/Facility/Site Name Conton Manufacturing Corp.
On January 10, 1996, I conducted a restore inspection at the
above mentioned facility Rulph Agnoni was present. Cranton MFg. Hilly
injection molds t extrictes plastic parts for Shop Vac anc. The
Facility notified, with the KPM, in April of 1994, as a small
quantity generator of hazardous waste. The production area of
Weste storing area were towed onsite the inspection.
The following violations were observed!
\$ 262.20(9)(8): Manifest No. NYB692564-4, dated 5.16.95,
displayed that the generator failed to include the total quantity
of hagurdous Maste (Black 13) Shipped. The generalor also
Signed the manifest in Block 20 & not block 16. The TSD Facility
also signed block 20.
As of May 1995 the facility boas managing some of their
spill cleaned maste as a Dour, hazardous maste. On May 9, 1995,
they received a letter, from their TSD facility that a load of
the same waste was hexardous For ignitability. The waste was
shipped offsite on H-12-95. Previously this waste stram was
non-hazardous & consists of hydraulic ail, Ethylene Chloride & 1420.
It was recommended that Conton Manufacturing re-evaluate
their weste determination for this weste stream. I also inquired on
why the Fleshpoint was below 140° F. Upon doing so, Mr.
Agnoni incliented that he was informed; by Jim Moyer (Production
Manager), that during the Spring of 1995 the production mechinery
brend claimed with Toluene. The residue was collected of manged
as the Spell Clemp waste Becouse of the May 9,95 letter,
This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records. This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein. Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.
Person interviewed (signature) Ralph Ugnmi Date 1/12/96
Inspector (signature) Pot Burnem Date 1/12/96
Page of

ER-WM-129: Rev. 12:93

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WASTE MANAGEMENT

INSPECTION REPORT COMMENTS

Marchon Commitme
Date of Inspection Jan. 10,12,96 Identification Number PAD987342078
Company/Facility/Site Name Conton Menufacturing
From the TSD Facility, Mr. Agnoni had determined that this waste
stream was a hagardous waste. As of Jan. 11,1996, he has
determined that this waste stream is non-hagardous.
on Jan. 12,96, he displayed results of analysis, provided by
Northeast Environmental Services, and, indicating that the
Flashpoint, For the shipments after Way 195, Kan greater
than 200°F. Previous analytical data includes TCLP.
Be advised, it is the responsibility of the generator, of a
vicate to make an accurate determination, of a waste steam,
prior to the shipment offsite. SEE \$262.11 of PA Rules 4
Regulations.
It was recommended that the liquid maste, which is currently
Stored adjacent to a bay door, be reducated. This would help
provent any accidental discharges to the ground. Mr. Agnoni
indicated that he may trastell a protective been at the downly
The facility has decreased the amount of tuliene itilized onsite.
The printing operation is no longer used. an apparatus which
Hillacs heet to temps for print from tape to the product is used.
a small amount of tolvene is used to claim a bed transfer offerm
onto the product.
Note: The Inspection was completed on Jennyey 12, 1996.
This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is
formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.
This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be
deemed to grant or imply immunity from legal action for any violation noted herein. Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does

Date 1

11.5 104

acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) Rum